
Aerial Squares AE310, AE312

Interface®

A view from above gives us the unique opportunity to witness connectivity The web of connections fascinates and assures us. In Aerial, a simple neutral palette travels new paths when several hues are tangled together for each colourway. The way the shades shift in seemingly endless movements from one tile to the next is provocative and stirs attention.

The construction of AE310 recalls the warp and weft of a hand-woven textile. AE312 adds strands of colour to light up that texture. The Aerial squares fit together effortlessly with the rest of the collection, creating a network of design possibilities to trace and discover.







AE310 Colourline



7921-001-000 Mist



7921-005-000 Greige



7921-002-000 Fog


7921-006-000 Iron



7921-003-000 Taupe



7921-004-000 Chestnut



7921-007-000 Smoke



7921-008-000 lnk



AE312 Colourline




8148-001-000 Mist/Accent




8148-002-000 Fog/Accent



8148-003-000 Taupe/Accent



8148-004-000 Chestnut/Accent




8148-005-000 Greige/Accent



8148-006-000 Iron/Accent



8148-007-000 Smoke/Accent




8148-008-000 Ink/Accent







Design Ideas Below are floor layouts showing how to create the design ideas shared in some of the images featured in this brochure.





Product AE310 Colours Mist, Greige, Ink Installed Non Directional Product AE312 Colour Ink/Accent Installed Quarter Turn





Product AE312 Colour Iron/Accent Installed Brick Product AE310 Colour Iron Installed Non Directional

Specifications

AE310[™] **[2**]

Style Code 7921 Pattern 000
Product Definition Tufted textured Loop

Yarn/Fibre BCF Nylon Type 6 – 100% Recycled Content

Colour System 100% Solution Dyed

Machine Gauge 1/12

Pile Thickness 2.5mm +/- 0.5mm
Total Thickness 6.0mm +/- 0.5mm
Tile Size 50cm x 50cm

Area of Use Commercial – Heavy Use

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®}

Total Recycled Content $\,$ GlasBac* 65% to 70% Total Recycled Content

Glasbac®RE 80% to 85% Total Recycled Content

Installation Methods Non Directional



AE312[™] **i2**

Style Code 8148 Pattern 000
Product Definition Tufted textured Loop

Yarn/Fibre BCF Nylon Type 6 – 100% Recycled Content

Colour System 100% Solution Dyed

Machine Gauge 1/12

 Pile Thickness
 2.5mm +/- 0.5mm

 Total Thickness
 6.0mm +/- 0.5mm

 Tile Size
 50cm x 50cm

Area of Use Commercial – Heavy Use

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®}

Total Recycled Content GlasBac® 65% to 70% Total Recycled Content Glasbac®RE 80% to 85% Total Recycled Content

Installation Methods Brick, Quater-turn









GREEN TA









CoolCarpet[™]
Intersept[®]

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information. Recycled content calculations are based on historical averages by total weight of the product for backings. Yarn/Fibre recycled content calculation excludes backing. We update our recycled content information and other environmental data regularly to reflect changes and advancements in our technology.

^{*}Cool Carpet is not a standard option in Australia and New Zealand.

As part of Interface's Mission Zero promise to eliminate any negative impact on the environment by 2020, we always consider the environment impact of every creative, manufacturing and building decision. This sample book is printed on recycled paper and with soy based ink. Twenty four virgin trees were saved from our use of 1725kg of recycled paper in the production of 5000 sample books. Energy intensity also decreased and greenhouse gases were reduced. The other reductions came from waste water and solid waste. Through our sample reclamation program, we help keep sample materials out of landfill by re-using them until it is time to recycle these sample materials.

www.interface.com

South East Asia

Interface Asia tel: 65-6478 1510 www.interface.com

South Korea

tel. 82-2-555 1734 www.interface.com

Japan

Interface Japan tel: 81-3-5733 5211 www.interface.com

India

Interface India tel: 91 80 30589350 www.interface.com

Beijing Studio

Interface China tel: 86-10-6590 7810 www.interface.com.cn

Hongkong Studio

Interface China tel: 852-2802 0838 www.interface.com.cn

Shanghai Studio

Interface China tel: 86-21-6340 3868 www.interface.com.cn

Australia

Interface Australia local toll free: 1800 008 101 www.interface.com

12/2017 SF0097T0



Mission Zero:

our promise to eliminate any negative impact our company may have on the environment by the year 2020.